

Avira Managed Email Security -AMES -

User Guide Version 1.0 www.avira.com

Table of Contents

Welcome	3
How does AMES work?	3
Getting started with AMES	4
Adding a new domain to AMES	4
Configuring your DNS server	4
Configuring your security and firewall	L,
Scanning your outbound emails (optional)	l,
Changing settings for your AMES domains	5
Logging in to AMES	5
Adding a new user to a domain	5
Adding a user alias	7
Configuring LDAP	7
Changing mail delivery-options	8
Customizing banners	9
Managing the quarantine	11
Adjusting the spam- and content-filter	12
Looking at statistics	13
Creating reports	14
Need more help?	15



Welcome

Thank you for taking a look at the Avira Managed Email Security (AMES) user guide. We are convinced you have chosen the most reliable email filtering solution available today. This manual will help you get started with AMES as well as customizing AMES to your specific needs. You will get peace in your inbox in no time.

How does AMES work?

Avira Managed Email Security, or AMES for short, is a service dedicated to stopping spam or viruses before they reach the your company network. This is achieved by routing email to our AMES server cluster. AMES then scans and delivers the spam- and virus-free email to your server.

The most accurate spam scanning technology

For intercepting spam we use a combination of technologies proven to be extremely effective. Since spammers and virus makers become more skilled every day, we constantly test and implement new methods to keep our lead position in email scanning, and you enjoy the benefits of this without any effort or costs.

Configuring AMES

Because we stop spam and viruses 'in the cloud', that is also the place where the configuration is done. You can find the AMES interface on https://ames.avira.com.

Licensing in AMES

When you let your Avira Partner purchases a license for AMES, you need to choose the number of users you need. These users correspond with the total number of people in your organization that are going to use AMES filtered email. AMES gives you total freedom to freely distribute these users across multiple domains, create aliases for them and more, but always keep your license up to par with the actual users. For more information see the AMES terms and conditions on our <u>website</u>.



Getting started with AMES

You'll find that once your **Avira Partner** has set up a license for your domain, the rest of the configuration is surprisingly easy. If you don't have an Avira Partner yet, please take a look at the <u>Partner Locator</u> on our <u>website</u>.

Adding a new domain to AMES

When you'd like to add a new domain to AMES, please call your **Avira Partner**. He or she will take your details, request a license and add the domain in AMES. Your partner will receive an **order confirmation** email with details such as **MX records**.

Once done, one user will be created, with a catch-all <u>alias</u>, and the **mail delivery** will be set to the **currently used mail server**. This means, you could go to the next step without any further configuration and your mail flow will not be interrupted.

Configuring your DNS server

Normally this is something your partner does for you, but if for some reason you need to do this yourself, we'll guide you in the process. To activate the scanning and filtering of your email you have to change the so called **MX-settings** in the DNS server for your domain. The correct records are in the **order confirmation** emailed to your partner. Example of an email to your domain registrar:

Dear Registrar,

Please change the MX records of our domain www.demo.domain to: 10 mx1.c01.avira.com 20 mx2.c01.avira.com Please make sure that our old MX records are completely removed.

Thanks in advance.

Kind regards,

Demo Customer

Make sure there is no MX-record with a priority below 10; otherwise emails from your organization will not be scanned and filtered by AMES.

Depending on the Time-To-Live (TTL) settings of your MX records it might take up to 24 hours before DNS changes become active.

After directing the MX record to Avira the managed service is active and will scan and filter your emails. The filtered and scanned emails will be delivered to your regular mailbox.

Configuring your security and firewall

When DNS changes are complete and propagated correctly, make sure your receiving mail server only accepts emails from AMES. This can be done through settings in the firewall or mail server itself.

Scanning your outbound emails (optional)

To also scan your domains outbound emails you have to point your outbound mail server – or the mail client(s) – to send through the mail server(s) mentioned in the **order confirmation**.



Depending on your network setup you might also need to change your firewall settings to allow outbound traffic to the AMES SMTP server.



Changing settings for your AMES domains

Logging in to AMES

Please visit <u>https://ames.avira.com</u> where you'll find the login screen:

AVIRA	Not logged in >Welcome Choose your access level	Home Avira Contact us
Demo login User login	Demo login Preview of our Account Management system, samples of settings and statistics are available. User login Login as a domain user or domain administrator to manage your e-mail settings.	
	Login name Your user name to login with, e.g. john Domain Your domain, e.g. domain.com	
	Password Your password, e.g. password Login V Reset Recover password	

Please fill in your **login name** (1), the **domain** (2) you want to access, and your **password** (3). These can all be found in the **order confirmation** your partner received. Then click **login** (4). You will be presented with the AMES **Service License Agreement** (SLA), which you will need to agree with to continue.

Adding a new user to a domain

When AMES is configured for your domain, it needs users to operate properly. When an email is sent to the email address **info**@demo.domain , the user **info** has to exist, or mail will be bounced back to the sender. By default, AMES has one **catch-all user**. A catch-all user is convenient because it receives email for all users on your domain. The recommended approach though, is to create a separate user account in AMES for every user you have. Please read our <u>catch all warning</u> to see why. This may seem like a tedious job when having a lot of users, but the <u>LDAP feature</u> can really cut the time spent on this task.

Adding a new user by hand can be done when you are in the users tab.

home > Domair	n overview									
Domain	Services	Users	Relay	Banr	ner	:	Statist	ics		
Users of do	omain name ers are listed below	v. Click on user n	ame to go to user	settings.	-	-	-	-	domai	n.demo
user na	me				services			deliver	admin	delete
					AV	AS	CF			
☆ domain •@domai	<u>demo</u> (catch-al	1)			⋧	⋧	⋧	×	2	\mathbf{X}
			Shown 1-1 (to	otal: 1)						
⊻ Add 1	-			Se	arch:					Search

Click **Add** (1) to show the Add user dialog:





home > Domain overview > Add user

-

domain demo

	domaniacino
Add user to domain	
item	value
User name (2-63 characters)	
Password (4-20 characters)	
Password again	
Domain admin	
Copy settings from:	New user \$
ン Save 5 ン Reset	ש Back

Select a **username** (1) and **password** (2) for your new user. If you'd like this user to be able to manage his own domain settings, trough <u>https://ames.avira.com</u>, check **domain admin** (3). You can choose to **copy settings from** (4) an existing user. When finished click **Save** (5). You will be warned that the user is disabled by default. This is done so you can review the settings before they take effect.



Adding a user alias

An alias can be used to let one user accept multiple email addresses.

nome > Domai	in overview > Edit u	ser : domain_d	emo 1			
User	Services 2	Quarantine	Banner	Report	Statistics	
Email State	us	_	_	_	_	domain_demo
Sta	itus		Only acti	ve when enabled		
E-mail aliase	es (one alias on ev	ery line)				
This d	lomain (this user) is effective, please	s using a catch remove the * (o For exam	-all setting (*@d catch-all) and co ple: yourname@	lomain.demo), ti onfigure aliases ©domain.demo	his makes SPA for one or more	M-filtering less e users.
*@domain.de	emo 3					

If you'd like to create an alias, select a **user** (1). Go to the **Services** (2) tab and add one or more email addresses in the **alias field** (3). Each of them should go on a new line, and should not be separated by other characters. Click **save** on the bottom of the page when done.

If you'd like to use a catch-all address, please use the form mentioned in the image above: *@domain.demo, but please read the following remark.

The use of a so called catch-all setting, where every combination of characters in front of the domain name is accepted as an email (*@example.com) makes your domain extra vulnerable to spam and viruses. This is why AMES enables **advanced greylisting** for all catch-all enables users. This technique bounces emails from unknown senders the first time, and will accept only the second or later attempt. Because a lot of spam servers will not try to resend email, this significantly reduces the amount of emails that must be filtered and scanned. Since the time it takes for the emails to be redelivered depends on the sender's mail server thus delaying the email delivery, **Avira discourages the use of a "catch-all" setting**. The best approach is to create a separate user account in AMES for every user you have. The <u>LDAP feature</u> can really cut the time spent on this task.

Configuring LDAP

٩

This setting is only available to Avira Partners, because of the possible consequences of misconfiguration. Please contact your partner for more information.



Changing mail delivery-options home > Domain overview > Edit user : domain_demo -User Services 2 Quarantine Banner Report Statistics Email Status domain_demo \checkmark Status Only active when enabled E-mail aliases (one alias on every line) Services status services description \checkmark VirusScan Scan your e-mail for viruses \checkmark SpamFilter Filter spam e-mails Advanced settings \checkmark ContentFilter Filter e-mails based on content Advanced settings Auto-reply Send reply message to all e-mail received Mail deliver options select option description SMTP Deliver Deliver to your SMTP mail server (Default) 4 Mail forward \bigcirc Forward all your e-mail to another e-mail address SMTP Deliver server(s) (one HOSTNAME or IP on every line) (SMTP Check) mailserver.domain.demo Save 6 > Reset

Mail delivery settings can be changed when you select a **user** (1) and go to the **services** (2) tab. You can choose between **SMTP deliver** (3), where you can add one or more **servers** (5) to deliver AMES mail to. Another option is to deliver mail to one or more email address, by choosing the **mail forward** (4) option. The **servers** (5) field will now change to an email field. Press **Save** (6) when done.



Customizing banners

dding a bann	er to incoming mail					
nome > Do	main overview > Edit	user : domain_d	lemo 1			
User	Services	Quarantine	Banner	Report	Statistics	
Mail ba	nner/footer					domain_demo
Below yo	u can select if and what	type of banner ye	ou want to have	inserted into the bo	ottom of every e-	mail
select	options	descrip	tion			
3	No banner	Do NOT	add banner to e	-mail		
0	Default banner Use the default banner					
0	Custom banner	Specify	custom banner, i	use field below		
Note: ple by the re	ease only use standa ecipient of your messa	rd European ch age.	aracters in you	ur text, e.g. Chine	ese might not be	e received correctly
4						
L						//
Save	5 Reset					

Adding a banner to incoming mail is done on a per-user basis. Select the **user** (1) you'd like to add a banner for and go to the **banner tab** (2). Then select a banner **option** (3), create a **text** (4) and **save** (5).

Adding a	a banner to	outgoing mail					
home	> Domai	n overview 1					
Do	main	Services	Users	Relay	Banner 2	Statistics	
Mai	l banne	r (for outgoing	e-mail)	_	_	_	domain.demo
۲	No ban	ner	Do NOT add	banner to e-mail			
0	Default	banner	Use the defa	ult banner			
0	Custom	banner	Specify custo	m banner, use fie	ld below		
Cus	tom ban	ner:					
<u>ع</u> لا	Bave E	⊠ Reset					

Adding a banner to outgoing mail is done on a per-domain basis. Go back to the **domain** (1) and select the **banner tab** (2). Then select a **banner option** (3), create a **text** (4) and **save** (5).



Email filtering and statistics

AMES has a variety of tools to adjust how the internal filtering of email works, as well as analyze its workings. In this chapter we'll explain the way these work.

What to do with intercepted spam or viruses

When mail is filtered by AMES, the intercepted mail is put in <u>quarantine</u> by default. When you'd like different behavior, there's the option to tag email and send it, or even remove it immediately.

ome > Domain	overview > Edit	user : domain_de	mo 🚺			
User	Services	Quarantine 2	Banner	Report	Statistics	
Browse and	release quara	ntined message	es (unit 28)	_	_	domain_demo
	us quarantine propted messages	containing a virus			Total items: 0	Last 24 hours: 0
	am quarantine propted messages	detected as spam			Total items: 0	Last 24 hours: 0
Co Inte	ntentFilter quar prcepted messages	antine blocked by content	filter		Total items: 0	Last 24 hours: 0
What has to	be done with	intercepted vir	uses, spam,	and content f	ilter messages.	_
handle viruse	es 😗	descripti	on			
Quarantin	e	Intercepte	d viruses stored	in quarantine for	14 days	
Remove (default)	Immediate	ly remove viruse	s		
handle spam	4	descripti	on			
Quarantin	e (default)	Intercepte	d spam stored ir	quarantine for 3	0 days	
Tag subje	ct	Add *****[SPAM]***** to su	bject of e-mails		
Remove		Immediate	ly remove spam	e-mails		
content filter	5	descripti	on			
Quarantin	e (default)	Messages	intercepted stor	ed in quarantine f	for 30 days	
Tag subje	ct	Add *****[CF]***** to subje	ct of e-mails		
Remove		Immediate	ly remove e-mai	s		
Save 6	N Reset					

Choose a **user** (1) which you'd like to configure the spam and virus handling for and select the **quarantine tab** (2). The **viruses** (3) can only be quarantined and removed, but the **spam** (4) and **content filter** (5) can also be tagged. This way, the subject of the email is tagged with ******[SPAM]****** or ******[CF]******* . Press **Save** (6) to save the settings.



Managing the quarantine

home > Domai	n overview > Edit	user : domain_der	mo 🚺			
User	Services	Quarantine 2	Banner	Report	Statistics	
Browse and	l release quara	ntined message	es (unit 28)			domain_demo
	rus quarantine ercepted messages	containing a virus			Total items: 0	Last 24 hours: 0
Sp Inte	am quarantine ercepted messages	detected as spam			Total items: 0	Last 24 hours: 0
Co Inte	ontentFilter quara ercepted messages	antine blocked by content f	ilter		Total items: 0	Last 24 hours: 0

When you'd like to go to the quarantine, first select a **user** (1) and go to the **quarantine tab** (2).

AMES has three different quarantines, for different types of filtering. The basic principles of operation are the same.

Virus quarantine (1)

Here you will find all emails with virus signatures. You can either select emails to remove, or to release. Email older than 14 days will be removed automatically.

💔 🛛 If you doubt whether a specific email contains a virus, do not release it. The virus filtering in AMES is almost never wrong.

Spam quarantine (2)

In the spam quarantine is where all spam is stored. AMES does a pretty good job using its default settings, but when needed it can be <u>customized</u>. When making the spam filter more strict, you could end up with ham (see remark) in your quarantine. To release emails from the quarantine, select "Release", which will release this specific email only, or "Release and remember as Not Spam", which releases spam and will no longer recognize emails from this sender as spam. Note, that this last option will reduce spam filtering effectiveness. You can also choose to delete specific emails, or delete all messages in the quarantine. AMES will automatically delete spam after 30 days.

'Ham' is email falsely identified as spam. If you get much ham in your quarantine, or mail falsely tagged as spam in your email client, you might want to take a look at the <u>advanced settings of the spam filter</u>.

Content filter quarantine (3)

٩

In the Content filter quarantine you will find all emails blocked based on size, attachment or your own customized rules. You can choose between releasing or deleting these messages. AMES will automatically delete content-blocked emails after 30 days.



Adjusting the spam- and content-filter

ome > Do	omain overview > Edit u	ser : domain_d	lemo 🚺			
User	Services 2	Quarantine	Banner	Report	Statistics	
Email §	Status	_		_	_	domain_demo
	Status		Only act	ve when enabled		
E-mail a	liases (one alias on ev	ery line)				
Service	S	_	description			
siaius	Services		description			
	virusScan		Scan your e-	mail for viruses		
	SpamFilter		Filter spam e	-mails		Advanced settings 3
	ContentFilter		Filter e-mails	based on content		Advanced settings 4
	Auto-reply		Send reply r	nessage to all e-ma	ail received	

When you'd like to adjust the spam- and/or content-filter, please select a **user** (1), go to the **services** (2) tab and click on **advanced settings** (3 or 4) of the filter you'd like to adjust.

Adjusting the Spam-Filter

On the presented page for advanced settings there are four tabs:

ProTAG

Here you can set the spam control blocking level. The default setting is "Normal". You can either choose less or more severe spam blocking by changing the level.

٩

For organizations with a normal rate of spam we recommend the "Normal" setting. As a result of setting the SpamFilter to Severe or Very Severe, legitimate email with spam properties might be blocked. That is why we advise that you monitor your spam Quarantine on a regular basis, and to generate a spam report on a daily basis.

Adjusting the Content-Filter

For the content-filter you can change the default settings for certain types of attachments. AMES uses the following types of recommendations for attachments:

The **Block Attachment** recommendation blocks these extentions by default. If you want to receive attachments with this certain extension you should deactivate the blocking.

Block if unsure: If you are not sure whether you want to allow this kind of attachment we recommend that you block it. **Do not block** attachments are accepted by default; you can block them if you want.

By using ${\bf Custom}$ you can create your own rules for blocking or allowing email by using:

Subject contains allows or blocks if an email contains a certain subject.

Message contains allows or blocks an email containing a certain combination of characters.

Block if is where you can set a maximum to the message size in Kb.



-

Looking at statistics

home > Domain overview





The info screen shows you all sorts of statistics about your reseller account. This tab is available for a user or for your domain, showing statistics for either of them. You can change the time-period on which the statistics apply by **clicking on a period** in the **select period** (1) menu. Here you can find significant information on the quantity of emails that AMES has processed. The information about the processed emails is divided into incoming, outgoing, not scanned, spam, virus- and content filter intercepted emails. You can choose to make overviews for the current month, the current year, or the previous day.

You will also find a report on the top 10 of viruses that have been intercepted by AMES, and a list of the top 25 senders and recipients of emails in your organization.



Creating reports

ome > Domain overview > Edit user : domain_demo							
User	Services	Quarantine	Banner	Report 2	Statistics		
otification	options	_	_	_	_	domain den	
ptions	options	description				statu	
Virus notification 3 If enabled you will receive an alert notification					virus is intercepted.		
leporting o	ptions						
options	desc	cription			status		
Spam quaran	tine 4 Daily	Daily spam quarantine summary					
Report langua	age Lang	guage for report			English (default)		
Report addre	SS Emai	il address to send rep	ports to				
Report Times	5 Repo	ort times		\$: \$: \$: Last report 10 \$		
Blacklist	Do n	ot show blacklisted it	ems in the report				
Obvious Spar	n Don	ot show obvious spa	m in the report				
Sort by	time,	time, sender, subject, score, tld			Time \$		
Charset block	Do n	ot show the selected	charsets in the r	Russian: Chinese:			

To schedule sending a report, select a **user** (1) and select the **report tab** (2). Click on either **virus notification** (3) or **spam quarantine** (4). The first will be sent every time a virus is found, and the spam quarantine will be sent according to **schedule** (5). When done press **save** (6).

If you would like to release emails, you can use the release and remember (RR) link to **whitelist** (approve) a specific email sender, or **release only** (RO) in the spam report email.



We advise that you let AMES generate a report on a daily basis especially when you have just started using AMES, or if you use strict filtering settings for spam.



Need more help?

We've done our best to try to cover as much as possible about AMES, but maybe you have a question that isn't answered in this guide. We recommend you look at the <u>F.A.O.</u> on our website. If that doesn't help, please contact your Avira Partner, he or she will be more than willing to help you with any questions regarding Avira products.



Avira GmbH Lindauer Str. 21 88069 Tettnang Germany Telephone: +49 (0) 7542-500 0 Fax: +49 (0) 7542-525 10 www.avira.com

© 2010 Avira GmbH. All rights reserved.

All named products and company names are registered trademarks of the respective company. Our General Terms and Conditions of Business and the End-user License Agreement can be found in the Internet. <u>www.avira.com</u>.

E&OE. Technical information as of November 2010.